

VAPCO PRODUCTS DIV.
401 Marshall Road
Valley Park, MO 63088

For Customer Service call: (636) 923.2121
Emergency Telephone: (800) 255-3924

WASP-A-WAY

NFPA: 3-0-4

Data Sheet: 134
 Prepared: 12/28/05
 Supersedes: 5/15/01

This Material Safety Data Sheet complies with OSHA Hazard Communication Standard 29 CFR 1910.1200.

SECTION 1: COMPOSITION / INFORMATION ON INGREDIENTS

If present, IARC, NTP, and OSHA Carcinogens are identified with an asterisk (*) in this section.

| <u>Ingredient(s)</u> | <u>OSHA PEL</u> | <u>Percent</u> | <u>ACGIH TLV</u> |
|---|-----------------|----------------|-----------------------|
| Petroleum Distillate CAS #: 64742-47-8 | Not Available | | 350 mg/m ³ |
| Carbon Dioxide CAS #: 124-38-9 | 5000 ppm | | 5000 ppm |

SECTION 2: HAZARDS IDENTIFICATION

Permissible Exposure Limits: Not established for this product. See section 1 for threshold limit.

Effects of Acute Overexposure:

Eyes: May cause irritations, redness, or watering.

Skin: May cause irritations, itching, dryness, or redness.

Breathing: Over exposure to vapors may cause nausea, dizziness, headache and upper respiratory discomfort.

Swallowing: May cause nausea, vomiting, or headache.

Primary Route(s) of Entry: Skin contact, eye contact, ingestion and inhalation.

Effects of Chronic Overexposure: Unknown, but not likely to occur from aerosol use.

Medical Conditions Aggravated by Exposure: Skin sensitivity, chemical allergies.

SECTION 3: FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes while holding eyelids apart. Seek immediate medical attention.

SKIN: Remove contaminated clothing immediately. Discard contaminated shoes. Wash exposed area with large amounts of soap and water. If irritation persists or open sores develop, get immediate medical attention.

BREATHING: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen (if you have been trained in its use). If breathing has stopped, give artificial respiration. Get immediate medical attention.

SWALLOWING: Do not induce vomiting. Vomiting will cause further damage to the mouth and throat. Seek immediate medical attention or Poison Control.

SECTION 4: FIRE FIGHTING MEASURES

Flash Point: N/A.

Flame Projection: >18"

Explosive Limit: Not Established for product.

Extinguishing Media: Foam, CO₂, Dry Chemical, Halon.

Hazardous Decomposition Products: Open flames may cause carbon monoxide.

Fire Fighting Procedures: Wear Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fire fighting.

Special Fire and Explosion Hazards: Exposure to temperatures over 120 degrees Fahrenheit may cause bursting or venting. Heat or fire may cause hazardous fumes: carbon monoxide.

SECTION 5: ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: Remove all sources of ignition. Dike area if possible for material recovery. Small quantities may be absorbed with absorbent materials.

This pesticide is toxic to fish. Do not discharge effluent containing this material into any body of water or into sewer without previously notifying proper authorities.

Follow Local, State, and Federal regulations for proper disposal.

SECTION 6: HANDLING AND STORAGE

Do not store where temperatures exceed 120 degrees Fahrenheit. Keep containers closed when not in use. Keep away from direct sunlight. Do not transfer to unmarked containers. Keep out of reach of children.

SECTION 7: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection: Not required under normal conditions of use; however, if sprayed or used in confined areas, a NIOSH / MSHA approved respirator may be advised in absence of proper environmental control. OSHA regulations also permit other NIOSH / MSHA respirators under specified conditions -- see 29 CFR 1910.134 or your safety equipment supplier. Engineering and/or administrative controls should be implemented to reduce exposure.

Ventilation: Provide sufficient mechanical ventilation (general and/or local exhaust) to maintain exposure below recommended exposure limits.

Protective Gloves: Wear chemical resistant gloves such as neoprene or rubber. Contact your safety equipment supplier.

Eye Protection: Chemical splash goggles and a face shield to prevent splash on to the face, in compliance with OSHA regulations, are advised.

Other Protective Equipment: To prevent repeated or prolonged skin contact, wear impervious clothing and boots.

SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

| <u>Property</u> | <u>Measurement</u> | <u>Property</u> | <u>Measurement</u> |
|---------------------|---------------------------------|-------------------|--------------------|
| Boiling Point | N/A | Specific Gravity | 0.8075 |
| Vapor Pressure | 80 psig | Percent Volatiles | N/A |
| Vapor Density | >1 | Evaporation Rate | <1 |
| Solubility In Water | Insoluble | pH | N/A |
| Appearance & Odor | Clear straw colored-sweet odor. | | |

SECTION 9: STABILITY AND REACTIVITY

Hazardous Polymerization: Will not occur.

Stability: Stable.

Conditions to Avoid: Sources of heat.

Incompatibility: Avoid contact with strong oxidizing agents.

Hazardous Decomposition Products: Open flames may cause carbon monoxide, phosgene.

SECTION 10: TOXICOLOGICAL INFORMATION

No data available at this time.

SECTION 11: ECOLOGICAL INFORMATION

No data available at this time.

SECTION 12: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all Local, State, and Federal regulations.

SECTION 13: TRANSPORTATION INFORMATION

DOT Hazard Classification: Consumer Commodity ORM-D

SECTION 14: REGULATORY INFORMATION

SARA Title III, Section 313 chemicals: None

SARA Title III, Section 312: Health - Acute (No) Chronic (No) Fire (No) Reactivity (No)

Proposition 65 : None

SECTION 15: OTHER INFORMATION

Containers used to transport and store this material may be hazardous when emptied. Residue (Vapor, Liquid, and/or Solid) may be present in the emptied container. All hazard precautionary measures should be followed.

The information accumulated and reflected in this Material Safety Data Sheet is believed to be accurate but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.